

Needle gripper
SNG-DL 1.2 24

Part no.: 10.01.29.00011

<https://www.schmalz.com/10.01.29.00011>




Homepage > Vacuum Technology for Automation > Vacuum Components > Special Grippers > Needle Grippers > Needle Grippers SNG-DL > SNG-DL 1.2 24

Needle gripper "SNG-DL", particularly large and robust version



Needle diameter: 1.2 mm
Number of needles: 24
Needle stroke Z(NA): 17.5 mm
Pressure range (operating pressure):
3.0 ... 10.0 bar

Design Data



Attribute	Value
B	55 mm
G1	M5-F
G4	M4-F
H	117 mm
L	263.5 mm
X1	20 mm
Y1	20 mm

Technical Data

Attribute	Value
Number of needles	24


Contact to Schmalz

Schmalz (Shanghai) Co. Ltd. | 1 Chun Quan Lu, Pudong Xinqu, Shanghai Shi, China | +86 21 5109 9933 | schmalz@schmalz.net.cn

Page 1 of 3

Attribute	Value
Needle diameter	1.2 mm
Pressure range (operating pressure)	3.0 ... 10.0 bar
Ambient temperature	5 ... 60 °C
Installation position	Any
Weight	1500 g

Spare Parts



ERS-SET SNG-DL 1.2

Part no. 10.01.29.00102

Set of spare parts

for: Needle gripper

Size: DL

contains: 2 Needle wedges inst.

Needle diameter: 1.2 mm

Accessories



BEF-PL 31x34x11.5 G1/4-IG SNG

Part no. 10.01.29.00093

Mounting plate

Length L: 31 mm

Width B: 34 mm

Height H: 11.5 mm

Thread G1: G1/4"-F

for: Needle gripper

Contact to Schmalz

Schmalz (Shanghai) Co. Ltd. | 1 Chun Quan Lu, Pudong Xinqu, Shanghai Shi, China | +86 21 5109 9933 | schmalz@schmalz.net.cn

Page 2 of 3

**STV-W M5-AG 6**

Part no. 10.08.02.00296

Screw plug connection, swivelling elbow

Thread G1: M5-M

External hose diameter: 6 mm

Material: Plastic

**STV-GE M5-AG 6**

Part no. 10.08.02.00201

Screw plug connection, straight

Thread G1: M5-M

External hose diameter: 6 mm

Material: Brass

Surface: nickel plated

Ambient temperature: -20 ... 80 °C

**VSL 6-4 PU**

Part no. 10.07.09.00002

Hose for vacuum and compressed-air systems

External diameter D: 6 mm

Internal diameter d: 4 mm

Length (max): 500 m

Material: PU

Installation radius (min): 35 mm

Pressure range (operating pressure):

-0.95 ... 10.00 bar

Ambient temperature: -20 ... 90 °C