

Needle gripper

SNGi-AE 10 0.8 V 3 IOL

Part no.: 10.01.29.00390

<https://www.schmalz.com/10.01.29.00390>




Homepage > Vacuum Technology for Automation > Vacuum Components > Special Grippers > Needle Grippers > Electric Needle Grippers SNGi-AE > SNGi-AE 10 0.8 V 3 IOL

Electrical needle gripper in maintenance-friendly design and infinitely adjustable stroke



Number of needles: 10
Needle diameter: 0.8 mm
Needle stroke Z(NA): 3 mm
Communication: IO-Link (Class B)

Design Data



Attribute	Value
B	35 mm
G1	M5-F
G2	M12x1-M
G4	M5-F
H	140 mm
H2	40.2 mm
H3	83.2 mm
L	65 mm
L1	80 mm
L2	28 mm
W (E)	30 °
X1	29 mm

Contact to Schmalz

Schmalz (Shanghai) Co. Ltd. | 1 Chun Quan Lu, Pudong Xinqu, Shanghai Shi, China | +86 21 5109 9933 | schmalz@schmalz.net.cn


Page 1 of 5

Attribute	Value
Z (NA)	3 mm

Technical Data

Attribute	Value
Number of needles	10
Needle diameter	0.8 mm
Ambient temperature	5 ... 50 °C
Weight	500 g
Protection	IP 53
Voltage	24V - DC
Current consumption	900 mA
Additional function	Variable stroke

Spare Parts



ERS-SET SNG-AP/AE 10 0.8 3

Part no. 10.01.29.00405

Set of spare parts

for: Needle gripper

Size: AP/AE

contains: 2 Needle wedges inst.

Number of needles: 10

Needle diameter: 0.8 mm

Needle stroke Z(NA): 3 mm

Contact to Schmalz

Schmalz (Shanghai) Co. Ltd. | 1 Chun Quan Lu, Pudong Xinqu, Shanghai Shi, China | +86 21 5109 9933 | schmalz@schmalz.net.cn

Page 2 of 5



ERS-SET SNG-AP/AE 3

Part no. 10.01.29.00419

Set of spare parts

for: Needle gripper

Size: AP/AE

Needle stroke Z(NA): 3 mm

Accessories



BEF-PL 38x15x11.5 G1/4-IG SNG

Part no. 10.01.29.00403

Mounting plate

Length: 38 mm

Width: 15 mm

Height: 11.5 mm

Thread 1: G1/4"-F

for: Needle gripper



HTS-A2 AP SNG

Part no. 10.01.29.00402

Holder system

Cross-beam connection:

Bolt with slot Ø19mm

Shape: with adapterplate

for: Needle gripper

Contact to Schmalz

Schmalz (Shanghai) Co. Ltd. | 1 Chun Quan Lu, Pudong Xinqu, Shanghai Shi, China | +86 21 5109 9933 | schmalz@schmalz.net.cn

Page 3 of 5



HTS-A3 AP SNG AP/AE

Part no. 10.01.29.00322

Holder system

Cross-beam connection:

Ball head 28.5 mm

Shape: with adapterplate
for: Needle gripper

Size: AP/AE



ASK B-M12-5 5000

Part no. 21.04.05.00080

Connection cable

Interface Connection cable:

Fem connect M12, 5 pol

Cable length: 5000 mm

Material: PUR-Cable



ASK B-M12-5 1000 S-M12-5

Part no. 21.04.05.00158

Connection cable

Interface Connection cable:

Fem connect M12, 5 pol

Cable length: 1000 mm

Interface Connection cable:

Male connect M12, 5 pol

Material: PUR-Cable

**ASK B-M12-5 2000 S-M12-5**

Part no. 21.04.05.00211

Connection cable

Interface Connection cable:

Fem connect M12, 5 pol

Cable length: 2000 mm

Interface Connection cable:

Male connect M12, 5 pol

Material: PUR-Cable

**ASV IO-L-A 2xS-M12-4**

Part no. 10.02.02.04336

Connection distributor

for: IO-Link class A

Interface Connection cable:

Fem connect M12, 5 pol

Interface Connection cable:

2xConnect M12, 4 pol

Length L: 1000 mm